

1-4-1

INDEX MAPS.

T.10N R.4W 2nd Mer.

	65-67	65-67	65-67	65-66	66	66						
69	6	88	5	82	4	79	3	76	2	72	1	64
	87		87		82		79		75		72	
69	7	87	8	82	9	78	10	75	11	72	12	64
	86		86		81		78		75		71	
68	18	86	17	81	16	78	15	74	14	71	13	64
	85		85		81		77		74		71	
68	19	85	20	81	21	77	22	74	23	70	24	63
	84		84		80		77		73		70	
68	30	84	29	80	28	76	27	73	26	70	25	63
	83		83		80		76		73		70	
67	31	83	32	79	33	76	34	73	35	69	36	63
	62		62		62		61		61		61	

Meandering 88

T.11N R.4W 2nd Mer.

	97	97	96	96	96	95						
99	6	118	5	113	4	109	3	106	2	103	1	95
	118		117		112		109		106		102	
99	7	117	8	112	9	109	10	106	11	102	12	95
	117		116		112		109		105		102	
98	18	116	17	112	16	108	15	105	14	101	13	94
	116		115		111		108		104		101	
98	19	115	20	111	21	108	22	104	23	101	24	94
	115		114		111		107		104		100	
98	30	114	29	110	28	107	27	103	26	100	25	94
	114		113		110		107		103		100	
97	31	113	32	110	33	106	34	103	35	100	36	93
	91-93		91-93		91-93		91-93		92		92	

The figures on the lines refer to the page.

Township N^o 11. North of Range N^o 4 West 2nd Mer. Sec. 91
Ch. Cr.

South Boundary

May 2nd 1811

B. 87

East On a Random line On the South Boundary of Sec. 31
T. N^o 11. R. N^o 4 W. From the cor. of T. N^o 10
11 R. N^o 4 & 5 W.

30.00 Set a tump^y 1/4 sec. post.

55.00 To Brook. 10 miles wide, Co. S. E.

70.00 Set tump^y post for the cor. of sec. 31. 1832

Land & timber and cist. Timber Sugar, Buck. Ash, Oak
Hickory &c.

East On a Random line On the South Boundary of Sec. 32
T. N^o 11. R. N^o 4 W.

27.00 To a Brook. 5 miles wide, Co. S. E.

40.00 Set tump^y 1/4 sec. post

43.00 To Brook. 8 miles wide, Co. S. W.

80.00 Set a tump^y post for the cor. of sec. 32 & 33
Land & timber same as last mile.

East On a Random line On the South Boundary of Sec. 33
T. N^o 11. R. N^o 4 W.

23.00 To a Brook. 3 miles wide, Co. N. E.

40.00 Set a 1/4 sec post (tump^y)

43.00 To a Brook. 3 miles wide, Co. N.

80.00 Set a tump^y post for cor of sec. 33 & 34
Land & timber same as last mile.

East On a Random line On the South Boundary of Sec. 34
T. N^o 11. R. N^o 4 W.

7.50 To a Brook. 30 miles wide, Co. S.

10.00 " " 30 " " " S

40.00 Set a tump^y 1/4 sec post

80.00 Set a tump^y post for the cor. of sec. 34. 1835
Land & timber same as last mile.

T. N^o 11. N.R. N^o 4 T^h 2nd Mn. Ind.ⁿ

East On a Random line On the South Boundary of sec. 35
T. N^o 11. N.R. N^o 4 T^h.

10.00 To a Brook .5 miles wide, Corner S.E.

25.00 To a do. 5 " " " S.

32.00 " " do. 50 " " "

40.00 Set a temporary 1/4 sec. post

80.00 Set a " post for the cor. of sec. 35 & 36.

Land & timber same as last mile

East On a Random line On the S. Boundary of sec. 36.
T. N^o 11. N.R. N^o 4 T^h.

2.00 To a Brook .10 miles wide, Co. S.W.

40.00 Set a temporary 1/4 sec. post

80.00 Entered the N & S Range line about North of Town
Corner

West Corrected & marked the line between T. N^o 10. N.R. 4 T^h

West On the South Boundary of sec. 36. T. N^o 11. N.R. 4 T^h.

40.00 Set a 1/4 sec. post from which a

Beck. 10 in. dist. bears N 55 E. 15 links due; r a

do. 16 " " " S 10 W. 24 " "

80.00 Set a post for the cor. of sec. 35 & 36. from which a

Beck. 10 in. dist. bears N 61 E. 14 links due; r a

N. Oak. 16 " " " S 35 W. 24 " "

West On the South Boundary of sec. 35. T. N^o 11. N.R. 4 T^h.

40.00 Set a 1/4 sec. post from which a

Sugar. 10 in. dist. bears N 85 W. 50 links due; r a

80.00 Set a post for the cor. of sec. 34 & 35 from which a

Sugar. 12 in. dist. bears N 88 E. 20 links due; r a

Beck. 16 " " " N 72 W. 19 " "

T. N^o 11. N. R. N^o 4 W. 2nd Mer. Ind^a

West	On the South Boundary of sec. 34. T. 11. N. R. N ^o 4 W.
40.00	Set a 1/4 sec post from which
	Log woods 5 in. dia: trees N 80 W. 8 links each; 1 a
	Beech 5 " " " S 3 E. 15 " "
80.00	Set a post for the cor of sec. 33 & 34 from which
	Beech 18 in. dia: trees. S 70 W. 8 links each; 1 a
	Do. 16 " " " S 56 E. 24 " "
West	On the South Boundary of sec. 33. T. 11. N. R. 4 W.
40.00	Set a 1/4 sec post from which
	Maple 16 in. dia: trees S 56 E. 25 links each; 1 a
	Sugar 18 " " " N 56 W. 25 " "
80.00	Set a post for the cor of sec. 32 & 33 from which
	Log woods 6 in. dia: trees. S 66 W. 2 links each; 1 a
	do. 16 " " " N 52 E. 38 " "
West	On the South Boundary of sec. 32. T. 11. N. R. 4 W.
40.00	Set a 1/4 sec post from which
	Sugar 18 in. dia: trees. S 75 E. 7 links each; 1 a
	W. Oak 24 " " " N 75 W. 12 " "
80.00	Set a post for the cor of sec. 31 & 32 from which
	Beech 8 in. dia: trees. N 85 E. 27 links each; 1 a
	Hickory 18 " " " N 33 W. 11 " "
West	On the South Boundary of sec. 31. T. 11. N. R. 4 W.
40.00	Set a 1/4 sec post from which
	Log woods 6 in. dia: trees. S 42 E. 7 links each; 1 a
	Beech 12 " " " N 56 W. 31 " "
70.00	To Iron Cor.

East Boundary

May 3. 1811.

North On the East Boundary of sec. 36. T. 11. N. R. 4 W

T. N^o 11. N.R. N^o 4 W. 2nd Mer. Ind^o.

- Through the cor of T^o 10 + 11. N.R. N^o 3 + 4 W.
 40.00 Set a 7/4 sec post from which
 Buck. 17 in. diam. beams. N 65 W. 14 links dist; ra
 No. 3 " " " S 66 E. 10 " "
 54.00 To a Brook. 8 links wide, to N.E.
 80.00 Set a post for the cor of sec. 25 + 36 from which
 Buck. 3 in. diam. beams S 13 E. 14 links dist; ra
 Log woods 3 " " " N 41 W. 13 " "
 Sand & limst Timber Buck.

- North On the East Boundary of sec. 25 T. 11. N.R. 4 W.
 16.50 To an ash. 24 in. diam. in the line
 40.00 Set a 7/4 sec post from which
 Log woods 3 in diam beams N 23 E. 15 links dist; ra
 Buck. 4 " " " S 65 W. 31 " "
 80.00 Set a post for the cor. of sec. 24 + 25 from which
 Buck. 6 in diam beams S 15 E. 11 links dist; ra
 No. 5 " " " N 23 W. 12 " "
 Sand & timber same as last mile;

- North On the East Boundary of sec. 24 T. N^o 11. N.R. N^o 4 W.
 40.00 Set a 7/4 sec post from which
 Buck. 5 in diam. beams. S 63 W. 12 links dist; ra
 No. 6 " " " N 31 E. 20 " "
 80.00 Set a post for the cor. of sec. 13 + 24 from which
 Buck. 14 in. diam. beams N 3 E. 22 links dist; ra
 No. 14 " " " S 10 E. 21 " "
 Good Buck. Sand.

- North On the East Boundary of sec. 13 T. 11. N.R. 4 W.
 40.00 Set a 7/4 sec post from which
 Buck. 4 in. diam. beams N. 14 W. 22 links dist; ra
 No. 6 " " " S 1 E. 5 " "

61.00 To a Brook 16 mi. dist. stands in line
 64.00 " " Brook 12 miles wide, Co. S. W.
 76.00 " " " 14 " " " S. W.
 80.00 Set apart for the cor. of sec. 12 & 13. From which
 Brook 16 mi. dist. bears S 47 W 16 miles dist; 1 mi
 Co. 16 " " " Each 60 " "
 For Brook. Sands.

North On the East Boundary of sec. 12. T. 11. N. R. N. 4 W.
 29.50 To a Oak. 48 mi. dist. stands in the line.
 33.50 " " Brook 10 miles wide, Co. S. W.
 40.00 Set apart for the cor. of sec. 12 & 13. From which
 Brook 3 mi. dist. bears S 39 E. 20 miles dist; 1 mi
 Logansport, " " N 83 W. 23 "
 80.00 Set apart for the cor. of sec. 12 & 13. From which
 Brook 9 mi. dist. bears S 33 E. 9 miles dist; 1 mi
 Co. 4 " " " N 48 W. 15 " "
 Fatty goods Brook. Sands.

North On the East Boundary of sec. 1. T. 11. N. R. N. 4 W.
 23.00 To a Walnut. 15 mi. dist. stands in the line.
 40.00 Set apart for the cor. of sec. 12 & 13. From which
 Brook 17 mi. dist. bears S 28 W. 23 miles dist; 1 mi
 Co. 5 " " " N 19 E. 13 " "
 80.00 Set apart for the cor. of T. 11. N. R. N. 3 & 4 W. from
 which Brook 5 mi. dist. bears S 27 E. 27 miles dist;
 and a Co. 14 " " " N 45 W. 17 " "
 Sands level; Timber Brook. Poplar. etc.

North Boundary

May 4th 1811.

West On the South Boundary of sec. 36. T. 12. N. R. 4 W.
 10.00 To a Brook 200 miles wide Co. S.

N. No 11. N.R. No 4 W. 2nd Mer. Ind.

40.00 Set a 74 cu. post from which a
 Beech 14 in. diam bears S 34 W. 14 links dist; r a
 Do. 13 " " " N 30 E. 17 " "
 44.25 To a Brook. 200 links wide, loc. N.W.
 65.50 To a Brook. 10 " " " N.W.
 80.00 Set a post for the cor of sec. 35 & 36. from which a
 Beech 5 in. diam bears S 87 W. 26 links dist; r a
 W Oak. 14 " " " N 74 E. 10 " "
 Good land, Timber Beech, Sugar, &c.

West On the South Boundary of sec. 35 T. 12. N. R. 4 W.
 25.00 To a Brook. 20 links wide, loc. N.
 40.00 Set a 74 cu. post from which a
 Beech 5 in. diam bears S 57 W. 8 links dist; r a
 Do. 3 " " " N 44 W. 10 " "
 43.50 To a Brook. 12 links wide corner N.
 80.00 Set a post for the cor of sec. 34 & 35 T. 12. N. R. 4 W. from which
 a Beech 12 in. diam bears S 70 E. 4 links dist; r a
 Poplar. 30 " " " N 27 W. 49 " "
 Good land; Timber Sugar, Beech & Oak.

West On the South Boundary of sec. 34 T. 12. N. R. 4 W.
 40.00 Set a 74 cu. post from which a
 Beech 16 in. diam bears N 44 E. 18 links dist; r a
 Sassafras. 12 " " " S 52 W. 14 " "
 80.00 Set a post for the cor of sec. 33 & 34 from which a
 Beech 12 in. diam bears S 82 W. 34 links dist; r a
 Do. 5 " " " N. 25 E. 26 " "
 Poor hilly Beech land

West On the South Boundary of sec. 33 T. 12. N. R. 4 W.
 24.50 To a Brook. 8 links wide, loc. N.W.
 40.00 Set a 74 cu. post from which a

T. N^o 11 N.R. N^o 4 of T^h 9th Mer Ind.^e 97

Beech 18 in dia: bears S 77.8 W 8 links dist;
 Do 3 " " " N 18 E 39. "
 71.00 To a Brook. 15 links wide, Co. N.R.
 80.00 Set a post for the cor of sec. 32. & 33 from which a
 Sugar 12 in dia: bears S 26 E. 11 links dist: & a
 Do 9 " " " N 26 W 13. "
 Poor hilly Beech land

West On the South Boundary of sec. 32. T. N^o 12 N.R. 4 W.
 40.00 Set a 1/4 sec post from which a
 Beech 16 in dia: bears N 43 W. 42 links dist: & a
 Do 12 " " " S 41 E. 18 " "
 48.00 To a Brook. 12 links wide Course S.
 80.00 Set a post for the cor of sec. 31. & 32 from which a
 Gum. 16 in dia: bears N 60 E. 9 links dist: & a
 Beech 4 " " " S 22 W 17. "
 Hilly Beech land.

West On the South Boundary of sec. 31. T. N^o 12 N.R. 4 W.
 34.50 To a Brook. 15 links wide, Co. S.W.
 40.00 To an R. Oak 16 in. dia: stands for cor. of 1/4 sec.
 70.00 Then entered the N & S Range line. 50 links North
 of the temp. 1/4 post cor of T. N^o 11. & 12. N.R. N^o 4
 & 5 W. & set a post from which a
 Elm 16 in. dia: bears S 5 E. 15 links dist: & a
 Beech 36 " " " N 51 W. 40. "
 Land open; Timber Beech & Oak.

West Boundary
 North On the East Boundary of sec. 36. T. N^o 11. N.R. 5 W.
 28.00 To a Brook 6 links wide, Co. W.
 40.00 Set a 1/4 sec post from which a
 Sugar 12 in dia: bears S 10 E. 8 links dist: & a

T^h N^o 11. N.R. N^o 4th 2nd Mer Ind^c

Wick 7 12 mi. dist. bears N 67° 25' links, ash;
 41.00 To a Brook. 6 links wide, Co. 8th
 80.00 Set a post for the cor of sec. 25 & 26 from which a
 Sugar. 18 mi. dist. bears S 60° E. 13 links, ash; 1 a
 Brook. 18 " " S 85° W. 19 " "
 Sande Hilby creek; Timber Sugar Brook & Oak

North On the East Boundary of sec. 25 T^h 11. N.R. 5th W.
 17.00 To a Sugar. 18 mi. dist. in the line.
 25.00 " " Brook. 5 links wide, Co. 7th
 40.00 Set a post for the cor of sec. 24 & 25 from which a
 Sugar. 14 mi. dist. bears S 55° E. 22 links, ash; 1 a
 Brook. 8 " " " N 55° W. 20 " "
 45.00 To a Brook. 3 links wide, Co. 7th
 80.00 Set a post for the cor of sec. 24 & 25 from which a
 Sugar. 12 mi. dist. bears N 66° E. 27 links, ash; 1 a
 Elm. 36 " " " S 78° W. 35 " "
 Sande Hilby creek; Timber Sugar Brook & Oak

North On the East Boundary of sec. 24 T^h 11. N.R. 5th W.
 21.00 To a Brook. 3 links wide, Co. 7th
 30.00 " " " 3 " " " Sth
 40.00 Set a post for the cor of sec. 24 & 25 from which a
 Ash. 16 mi. dist. bears N 86° W. 12 links, ash; 1 a
 Brook. 6 " " " S 76° E. 14 " "
 60.00 To a W. Oak. 14 mi. dist. in the line
 80.00 Set a post for the cor of sec. 13 & 24 from which a
 Wick 7 8 mi. dist. bears N 38° E. 16 links, ash; 1 a
 Sugar. 6 " " " S 87° W. 25 " "
 Sande same as last mile.

North On the East Boundary of sec. 13 T^h 11. N.R. 5th W.
 31.50 To a Brook. 10 links wide, Co. 7th

35.00 To a Brook 10 links side, Co. 7th.
 40.00 Set a 74 sup post from which
 Beech 6 in. dia^r beams N 86 W. 15 links dist; 1 a,
 Ironwood 6 " " N 46 E 23 " "
 70.00 To a Brook. 3 links side, Co. 7th.
 80.00 Set a post for the cor. of sec. 12. & 13. from which
 Beech 6 in. dia^r beams S 63 E. 7 links dist; 1 a,
 Sugar. 12 " " N 39 W. 20 " "
 Kelly, with lands; Limbs Beech Sugar, Oak & Ash

North On the East Boundary of sec. 12. T. 11. N.R. 5th.
 1.00 To a Brook. 3 links side, Co. 7th.
 10.00 To a Brook 20 " " " 7th.
 26.25 To a Sugar. 24 in. dia^r stands in the line.
 40.00 Set a 74 sup post from which
 Beech 16 in. dia^r beams S 63 E. 23 links dist; 1 a,
 Lg. 18 " " " N 10 W. 11 " "
 80.00 Set a post for the cor. of sec. 1 & 12 from which an
 Ash 18 in. dia^r beams S 14 W. 54 links dist; 1 a,
 Ash 16 " " " N 26 W. 68 " "
 Lands same as last side. May 3rd 1811.

North On the East Boundary of cu. 1. T. N^o 11. N.R. 4th 5th.
 5.00 To a Brook. 5 links side, Co. 7th.
 24.00 " " Co. 25 " " " 5th.
 40.00 Set a 74 sup post from which
 Beech 12 in. dia^r beams N 82 E. 15 links dist; 1 a,
 Do. 14 " " " N 55 W. 20 " "
 51.30 To a Sugar. 12 in. dia^r stands in the line.
 80.00 Set a temp^y post for the cor. of T. 11. & 12 N.R. 4 & 5th.
 Lands not Bottom; Limbs Sugar Ash & Beech.

T. N. 11. N. R. N. 4 W. 2nd Mer. Sec. 4

Subdivisions

April 18. 1814

North	Return Sec. 35 + 36 T. N. 11. N. R. N. 4 W.
40.00	Set a 74 sup. post from which a Sugar. 12 in. dia. beam S 23 W. 27 links dish; & a Beck. 7 " " " N 10 E. 16 " "
80.00	Set a trum. post for the cor. of sec. 25, 26, 35 + 36. Land hilly; Timber Beech Sugar, & Poplar.
East	On a Random line between Sec. 25 + 36 T. 11. N. R. 4 W.
West	On the true line between Sec. 25 + 36 T. 11. N. R. 4 W.
40.00	Set a 74 sup. post from which a Beck. 40 in. dia. beam N 78 E. 18 links dish; & a Sugar. 14 " " " S 16 W. 25 " "
78.00	Set a post for the cor. of sec. 25, 26, 35 + 36 from which a Beck. 9 in. dia. beam S 25 E. 13 links dish; & a Height 9 " " " N 15 W. 29 " " Land & timber same as last mile.
North	Return Sec. 25 + 26 T. N. 11. N. R. N. 4 W.
40.00	Set a 74 sup. post from which a Beck. 12 in. dia. beam N 79 W. 16 links dish & a Do. 12 " " " S 25 W. 30 " "
80.00	Set a trum. post for the cor. of sec. 23, 24, 25 + 26 Land hilly; Timber Beech Sugar & Oak
East	On a Random line between Sec. 24 + 25 T. 11. N. R. 4 W.
West	On the true line between Sec. 24 + 25 T. 11. N. R. 4 W.
40.00	Set a 74 sup. post from which a Beck. 3 in. dia. beam S 43 W. 10 links dish; & a Do. 4 " " " N 53 E. 4 " "
78.00	Set a post for the cor. of sec. 23, 24, 25 + 26 from which

Buck 15 in. dia: bears N 57.26 links east; & a
Sugar 20 " " " S 46.50 " "
Hilly Buck lands;

North Return Sec 23 & 24 T. N^o 11. N.R. N^o 4 4th.
40.00 Set a 70 sec post from which a
Buck 20 in. dia: bears S 37 E. 26 links east; & a
Do 7 " " " N 85 7.5 " "
63.00 To an R. Oak. 30 in. dia: in the line.
65.00 " a Creek. 40 links wide, Co. S. W.
80.00 Set a temp^y post for the cor. of sec. 13, 14, 23 & 24
Lands very hilly; Timber Buck, Oak, Poplar & Sugar

East On a Random line between Sec. 13 & 24. T. N^o 11. N.R. 4th

West Return Sec. 13 & 24 Same line T. N^o 11. N.R. 4th.
40.00 Set a 70 sec post from which a
Buck 9 in. dia: bears S 47 E. 8 links east; & a
Sugar 10 " " " N 53 7.13 " "
66.00 To a Creek. 40 links wide, Co. S. W.
77.50 Set a post for the cor. of sec. 13, 14, 23 & 24 from which a
Buck 15 in. dia: bears S 74 7.21 links east; & a
Sugar 18 " " " S 71 E. 44 " "
Lands hilly; Timber Buck, Sugar, & Poplar.

North Return Sec 13 & 14 T. N^o 11. N.R. N^o 4 4th.
40.00 Set a 70 sec post from which a
Buck 18 in. dia: bears West. 9 links east; & a
Do 12 " " " N 86 E 36 " "
65.00 To a Poplar 30 in. dia: stands in the line.
80.00 Set a temp^y post for the cor. of sec. 11, 12, 13 & 14
Lands very hilly; Timber Sugar Oak & Poplar.

T. N^o 11. N. R. N^o 47. 2nd M^o Ind.

April 19. 1814

East On a Random line between Sec. 12 & 13. T. 11. N. R. 47.

West On the true line between Sec. 12 & 13 T. 11. N. R. 47.

36.50 To a Brook. 15 links wide, Co. S.

39.00 " " Do. 10 " " " S.E.

40.00 Set a 74 support from which

Beet. 18 in. dia. beam. N 33 W. - links as by, & c,
Ironwood 6 " " S 33 E. 18 " "

69.00 To a Brook. 12 links wide, Co. S.E.

79.00 Set a post for the cor. of sec. 11. 12. 13. & 14 from which

W. Oak 36 in. dia. beam S 43 E. 36 links as by, & c,

Sugar 15 " " N 23 W. 58 " "

Sands and timber same as last mile.

North Between Sec. 11. & 12 T. N^o 11. N. R. N^o 47.

5.00 To a Brook 12 links wide. Co. S.E.

40.00 Set a 74 support from which

Heck 18 in. dia. beam. S 5 E. 5 links as by, & c

Oak. 5 " " " N 28 W. 27 " "

80.00 Set a line & post for the cor. of sec. 1. 2. 11. & 12

East On a Random line between Sec. 1. & 12 T. 11. N. R. 47.

West On the true line between Sec. 1. & 12 T. 11. N. R. 47.

28.00 To a Brook 6 links wide, Co. S.

40.00 Set a 74 support from which an

Oak 15 in. dia. beam N 13 W. 35 links as by, & c,

W. Oak. 44 " " " S 22 W. 38 " "

78.50 Set a post for the cor. of sec. 1. 2. 11. & 12 from which

Oak 24 in. dia. beam S 15 E. 33 links as by, & c,

Beet. 24 " " " West 23 " "

Sands & hills, timber Beet. & Sugar Oak & c

North Return Sur. 1 & 2 T. N^o 11 N.R. N^o 47
 40.00 Set a 74 ea post from which
 Hickory 30 in. dia: bears S 45 E. 23 links dish; 1 a,
 Buck 30 " " " North 24 " "
 80.00 Enter at the N Boundary 50 links East of the Old
 post on of sec. 35 & 36. T. N^o 12 N.R. N^o 47 & set
 a post for the cor of sec. 1 & 2 from which
 Buck 12 in. dia: bears N 61 W. 50 links dish; 1 a,
 No 12 " " " S 64 E. 23 " "
 Healthy Buck & Oak lands;

North Return Sur. 34 & 35 T. 11. N.R. 47
 40.00 Set a 74 ea post from which
 W Oak 24 in. dia: bears N 82 W. 17 links dish; 4 a,
 Gum. 10 " " " S 86 E. 7 " "
 80.00 Set a temp^y post for the cor of sec. 26, 27, 34 & 35.
 Healthy Buck & Oak Lands.

East On a Meridian line between Sur. 26 & 35 T. 11. N.R. 47

West On the true line between Sur. 26 & 35 T. 11. N.R. 47
 40.00 Set a 74 ea post from which
 Walnut 12 in. dia: bears N 50 E. 70 links dish; 1 a,
 Ash. 12 " " " S 36 W. 72 " "
 43.50 To a Brook 50 links wide, course S.
 80.00 Set a temp^y post for the cor of sec. 26, 27, 34 & 35 from
 which Hickory 18 in. dia: bears N 43 E. 17 links dish; 1 a,
 up Greenwood Co. " " West 8 " "
 Lands very healthy; Timber Buck & Sugar

North Return Sur. 26 & 27 T. 11. N.R. 47
 40.00 Set a 74 ea post from which
 W Oak 36 in. dia: bears East 44 links dish; 1 a,

T. N. 11. N. R. N. 4 N. 2nd New Ind.

80.00 Recd. 10 in. dia. beams S 75 N. 17 links dist;
Set a tumpst post for the cor of sec. 22, 23, 26. & 27
Sands & timber same as last mile.

East Onakondam line between Sec. 23 & 26. T. 11. N. R. 4 N.

West Onakondam line between Sec. 23 & 26. T. 11. N. R. 4 N.

32.00 To a Brook 50 links mid, Co. South.

40.00 Set a 7/4 sec post from which.

Recd. 20 in. dia. beams S 37 E. 16 links dist; & a

Recd. 18 " " " N 53 W. 11 " "

67.00 To a Brook 10 links mid, Co. S. E.

80.00 Set a post for the cor of sec. 22, 23, 26. & 27 from which

Recd. 12 in. dia. beams S 45 W. 9 links dist; & a

Co. 12 " " " N 58 E. 20 " "

Broken Rich lands. Timber Beech & Sugar.

April 20. 1874

North Between Sec. 22, & 23. T. 11. N. R. 4 N.

12.50 To a Brook. 8 links mid, Co. N. E.

21.00 " " Co. 8 " " " " "

40.00 Set a 7/4 sec post from which.

Recd. 12 in. dia. beams East 32 links dist; & a

Dg. 10 " " " S 54 W. 9 " "

80.00 Set a tumpst post for the cor of sec. 14, 15, 22 & 23.

Sands Broken & rich; Timber Beech & Sugar.

East Onakondam between Sec. 14 & 23 T. 11. N. R. 4 N.

West Onakondam line between Sec. 14 & 23 T. 11. N. R. 4 N.

26.00 To a Brook 15 links mid, Co. S. E.

40.00 Set a 7/4 sec post from which.

Recd. 24 in. dia. beams N 36 W. 35 links dist; & a

105

T. N^o 11. N.R. N^o 4 W 2nd Mer. Ind.

	<p>Sugar 24 in. dia: trees S 82 E. 28 links curb;</p> <p>Sands & timber same as last mile.</p> <p>8000 Set apart for the cor of sec. 14, 15, 22, & 23. from which a</p> <p>Buck. 24 in. dia: trees S 42 E. 29 links curb; 1st</p> <p>No. 15 " " " N 38 W 19 " "</p> <p>Sands as above</p>
North	<p>Between Sec. 14 & 15 T. N^o 11. N.R. 4 W. 2nd Mer.</p> <p>7.00 To a Brook 8 links mile, course E.</p> <p>40.00 Set a 7/4 sec. post from which a</p> <p>N. Oak 24 in. dia: trees S 45 E. 27 links curb; 1st</p> <p>W. Oak. 30 " " " N 45 W. 25 " "</p> <p>43.00 To a Brook 6 links mile, course E.</p> <p>55.50 To a Poplar 24 in. dia: trees in the line.</p> <p>80.00 Set a temporary post for the cor of sec. 10, 11, 14 & 15</p> <p>Sands Broken & Strong Timber Sugar, Oak, & Poplar & Buck.</p>
East	<p>On a Random line between Sec. 11 & 14. T. N^o 11. N.R. 4 W</p>
West	<p>On the true line between Sec. 11 & 14. T. N^o 11. N.R. 4 W</p> <p>40.00 Set a 7/4 sec. post from which a</p> <p>W. Oak 24 in. dia: trees S 15 W. 18 links curb; 1st</p> <p>Heiky 9 " " " N 82 E 35 " "</p> <p>72.00 To a Brook 8 links mile, to S.</p> <p>80.00 Set a post for the cor of sec. 10, 11, 14 & 15 from which a</p> <p>Sugar 24 in. dia: trees N 37 W. 8 links curb; 1st</p> <p>Heiky 8 " " " S 38 E. 8 " "</p> <p>Sands Broken & Strong Timber same</p>
North	<p>Between Sec. 27 & 28 T. N^o 11. N.R. N^o 4 W</p> <p>40.00 Set a 7/4 sec. post from which a</p> <p>Gum. 10 in. dia: trees S 75 W. 11 links curb;</p> <p>Buck. 10 " " " S 74 E. 13 " "</p>

T. N^o 11. N^o 47th 2nd Mn. Sth

North Return Sur. 10 + 11 T. 11. N^o 47th
 24.50 To a 7th Oak. 20 in dia^r trees in the line.
 40.00 Set a 7th sec post from which a
 Poplar. 36 in. dia^r trees N 4 E. 19 links dist; 1 a
 Sugar. 24 " " " S 10 W. 31 " "
 80.00 Set a timber post for the cor. of Sur. 2. 3. 10. + 11
 Sandeilly; Timber Oak, Sugar, & Poplar, &c.

East On a Random line between Sur. 2. + 11 T. 11. N^o 47th

West On the true line between Sur. 2. + 11 T. 11. N^o 47th
 40.00 Set a post for the cor. of 7th sec from which a
 Beech 15 in dia^r trees S 81 W. 17 links dist; 1 a
 Poplar. 18 " " " N 43 E 20 " "
 80.00 Set a post for the cor. of Sur. 2. 3. 10. + 11. from which a
 Beech 12 in. dia^r trees N 20 W. - links dist; 1 a
 Oak 10 " " " S 22 W. 14. " "
 Sande & timber same as last mile.

North Return Sur. 2. + 3. T. 11. N^o 47th.
 2.50 To a Poplar. 24 in. dia^r in line
 24.00 To a Brook. 8 links wide, Sec. W.
 40.00 Set a 7th sec post from which a
 Hickory 10 in dia^r trees N 33 W. 39 links dist; 1 a
 Beech. 12 " " " S 27 E. 31 " "
 80.00 Entered the N^o Boundary at the first cor. of Sur
 34. + 35 T. N^o 12. N^o 47th.
 Sande & Brook, Timber Oak & Beech, & Poplar

April 21. 1814

North Return Sur. 33. & 34 T. N^o 11. N^o 47th
 12.00 To a Brook. 25 links wide, Sec. S. E.
 40.00 Set a 7th sec post from which a

80.00	<p>Timberwood 6 in. dia: bears East. 16 links dish; & a</p> <p>W. Oak 36 " " " N 82 W. 27 " "</p> <p>Set a temp^l post for the cor of sec. 27, 28, 33 & 34.</p> <p>Sands Broken & Rich. Timber 4 Buck Oak Sugar</p>
East	On a Random line between Sec. 27, & 34 T. N. 11. N.R. 4 W.
West	On the true line between Sec. 27, & 34 T. N. 11. N.R. 4 W.
40.00	<p>Set a $\frac{1}{4}$ sup post from which</p> <p>Sugar 12 in. dia: bears S 75 E 16 links dish; & a</p> <p>Buck 20 " " " N 45 W. 10 " "</p>
80.00	<p>Set a post for the cor of sec. 27, 28, 33 & 34 from which</p> <p>Sugar 18 in. dia: bears N 45 E. 27 links dish; & a</p> <p>Lo. 20 " " " S 80 W. 26 " "</p> <p>Sands & timber same as last mile.</p>
North	Between Sec. 27 & 28 T. 11. N.R. N ^o 4 W
40.00	<p>Set a $\frac{1}{4}$ sec post from which</p> <p>Gum 10 in dia: bears S 73 W. 11 links dish; & a</p> <p>Buck 10 " " " S 74 E. 13 " "</p>
61.50	To a W. Oak 36 in dia: stands in the line.
80.00	<p>Set a temp^l post for the cor of sec. 21, 22, 27, & 28</p> <p>Sands Broken; Timber 4 Buck Oak & Sugar.</p>
East	On a Random line between Sec. 22, & 27 T. 11. N.R. 4 W.
West	On the true line between Sec. 22, & 27 T. 11. N.R. 4 W.
34.00	To a Buck 8 links side, Sec. N.E.
40.00	<p>Set a $\frac{1}{4}$ sup post from which</p> <p>W Oak. 48 in dia: bears East 44 links dish</p> <p>Buck. 10 " " " S. 42 W. 27 " "</p>
80.00	<p>Set a post for the cor of sec. 21, 22, 27, & 28 from which</p> <p>B Oak 40 in dia: bears West 10 links dish; & a</p>

T. No 11. N.R. No 4. 4th 2nd New Ind.

Sugar. 10 in dia: beas N 10 E 10 links dist;
 Sande on the 4th mile same; 2nd of Broken land
 Timber Sugar. Oak & Poplar.

North Return Lat. 21. 22 T. 11. N.R. 4th

40.00 Set a 74 leupst from where

Beck. 20 in dia: beas. S 54 E 5 links dist; & a

Do 9 " " " N 36 W. 44 " "

80.00 Set a temp⁴ post for the cor of lat. 15. 16. 21. & 22

Sande Broken Timber Sugar. Oak & Poplar.

East Chalk Run between Lat. 15 & 22. T. 11. N.R. 4th

West On the line between Lat. 15 & 22 T. 11. N.R. 4th

16.00 To a Brook 8 links wide, Co. N.E.

19.00 " " 110. 8 " " S.E.

35.00 " " 110. 8 " " N.E.

40.00 Set a 74 leupst from where

W. Oak. 24 in dia: beas N 78 W. 19 links dist; to

Sugar. 15 " " " S 45 E 10 " "

80.00 Set a post for the cor of lat. 15. 16. 21. & 22 from where

Sugar. 20 in dia: beas S 54 W. 34 links dist; & a

Beck. 24 " " " N 20 E. 34 " "

Sande hilly; Timber Beck. Oak. Poplar & Sugar

April 22. 1814

North Return Lat. 15 & 16. T. 11. N.R. No 4th

40.00 Set a 74 leupst from where

Beck 12 in dia: beas. S 62 E. 20 links dist; & a

Sugar. 18 " " " S 48 W. 24 " "

80.00 Set a temp⁴ post for the cor of lat. 9. 10. 15 & 16.

Sande & timber Same as last mile.

I. N^o 11. N.R. N^o 4 W. 2nd Mm Sec.

East On a Random line between Sec. 10 & 15 T. 11. N.R. 4 W.

West On the true line between Sec. 10 & 15 T. 11. N.R. 4 W.

40.00 Set a 1/4 sec post from which -

Poplar. 24 in. diam. bears N 10 E. 8 links dist; 1 in.

W. Oak. 20 " " " N 15 W. 30 " "

80.00 Set a post for the cor of sec 9. 10. 15 & 16 from which -

Buck. 12 in. diam. bears S 12 E. 29 links dist; 1 in.

Ironwood Co. " " N 78 E. 21 " "

Sands and timber same as last post.

North Between Sec. 9 & 10 T. 11. N.R. 4 W.

40.00 Set a post for the cor of 1/4 sec from which -

Buck. 18 in. diam. bears N 78 E. 28 links dist; 1 in.

Sugar. 15 " " " West 19 " "

61.50 To a W. Oak. 24 in. diam. bears in the line.

64.00 To a Brook 10 links in dist. Co. West

80.00 Set a temporary post for the cor of sec 3. 4. 9. & 10. from which -

Sands broken rock; Timber Sugar, Oak, Poplar &c.

East On a Random line between Sec. 3 & 10 T. 11. N.R. 4 W.

West On the true line between Sec. 3 & 10. T. 11. N.R. 4 W.

40.00 Set a 1/4 sec post from which -

Buck. 12 in. diam. bears S 58 E. 44 links dist; 1 in.

Sugar. 18 " " " N 56 W. 35 " "

74.50 Set a post for the cor of sec 3. 4. 9. & 10 from which -

Sugar 26 in. diam. bears S 11 W. 31 links dist; 1 in.

Buck 24 " " " N 23 E. 38 " "

Sands hilly and wet; Timber same.

North Between Sec. 3 & 4 T. 11. N.R. 4 W.

17.00 To a Brook 12 links in dist. Co. W.

T. N^o 11. N.R. N^o 47 2nd Mer. Sud.

- 40.00 Set a 74 su post from which
 Buck 36 in dia^r beam N 83 E. 16 links dist; to
 Sugar 18 " " " S 85 W. 19 " "
- 68.00 To a sugar 24 in dia^r stands on the line.
- 80.00 Intersected the N Boundary 100 links East of the
 post set for the cor. of sec. 33. & 34 T. N^o 12. N.R. N^o 47
 and set a post for the cor. of sec. 33 & 34 from which
 Sugar 18 in dia^r beam S 47 W. 10 links dist; to
 Do. 20 " " " N 33 E. 38 " "
 Land broken, Timber Sugar. Oak. & Poplar.

- North Return Sec. 32. & 33 T. N^o 11. N.R. N^o 47
- 40.00 Set a 74 su post from which
 Ironwood 4 in dia^r beam N 37 W. 22 links dist; to
 Buck 12 " " " S 30 E. 18 " "
- 80.00 Set a ~~temp^r~~ post for the cor. of sec. 28, 29, 32, & 33
 Land hilly; Timber Sugar, Buck. & Poplar.

East On a Random line between Sec. 28. & 33. T. 11. N.R. 47.

- West On the true line between Sec. 28. & 33. T. 11. N.R. 47
- 25.00 To a Brook 12 links side, Co. S.
- 40.00 Set a 74 su post from which
 Oak. 24 in dia^r beam S 62 E. 16 links dist; to
 Buck 20 " " " N 56 W. 29 " "
- 46.00 To a Brook. 12 links side, Co. S
- 80.00 Set a ~~temp^r~~ post for the cor. of sec. 28, 29, 32 & 33
 from which Buck 12 in. dia^r beam N 77 E. 22 links dist;
 and a Do. Do. " " " S 80 W. 22 " "
 Land broken & Timber fallen; Green Birch &

- North Return Sec. 28 & 29 T. N^o 11. N.R. N^o 47
- 6.00 To a Brook 15 links side, Co. S.E.

111

T. N. 11. N. R. No 4 W 2nd Mer. Sec.

40.00	Set a 7/4 sec post from whet.
	Sugar 15 in dia: beam S 47 E. 9 links dist; 1 a,
	Bush 20 " " N 79 W. 18 " "
80.00	Set a tripp ^d post for the cor of sec 20. 21. 28 + 29
	Land broken timber Oak. 1 Bush. & Poplar.

April 23 1814

East	On a Random line between Sec 21. & 28 T. N. 11. N. R. 4 W
West	On the true line between Sec 21. & 28 T. N. 11. N. R. 4 W
40.00	Set a 7/4 sec post from whet.
	Synon 8 in dia: beam S 68 E. 13 links dist; 2 a,
	Sugar 15 " " " N 32 W. 30 " "
79.00	Set a post for the cor. of sec. 20. 21. 28 + 29 from whet.
	1 Bush 9 in dia: beam. S 77 W. 28 links dist; 1 a,
	Lo. 9 " " " N 83 E. 21 " "
	Land hilly & stony timber Sugar. Poplar. &

North	Between Sec 20. & 21. T. N. 11. N. R. 4 W.
22.50	To a Poplar. 20 in dia: stands in the line.
40.00	Set a 7/4 sec post from whet.
	Sugar. 12 in dia: beam. S 42 E. 42 1/2 links dist;
	Bush. 15 " " " N 25 W. 36 " "
80.00	Set a tripp ^d post for the cor of sec 16. 17. 20 + 21
	Land & timber same as last mile.

East	On a Random line between Sec 16. & 21. T. N. 11. N. R. 4 W
West	On the true line between Sec 16. & 21. T. N. 11. N. R. 4 W
40.00	Set a 7/4 sec post from whet.
	Sugar 20 in dia: beam S 30 W. 8 links dist; 1 a,
	Ash. 30 " " " N 25 E. 16 " "
80.00	Set a tripp ^d post for the cor of sec 16. 17. 20 + 21.

T. N^o 11. N.R. N^o 4 W. 2nd Mer Ind.

Land & timber same as last mile. Bearing to above post,
Walnut 18 in dia^r bears N 79° W. 15 links dist; 1 a,
Sassafras 12 " " S 33 E 25 " "

North Return. Sur. 16 & 17 T. N^o 11. N.R. N^o 4 W.
40.00 Set a 7/4 cu post from which
Sugar. 18 in dia^r bears S 74° W. 29 links dist; 1 a,
Do 15 " " " N 85 E 18 " "
48.00 To at Brook 10 links mid. Co. N.W.
80.00 Set a temp. 7 post for the cor. 8. 9. 16. & 17
Land hilly and stony Timber Oak, Poplar, Hickory
and Buck.

East On a Random line, between Sur. 9 & 16 T. N^o 11. N.R. 4 W

West On the true line between Sur. 9 & 16 T. N^o 11. N.R. 4 W
40.00 Set a 7/4 cu post from which
W. Oak. 08 in dia^r bears S 10° W. 4 links dist; 1 a
Sugar. 8 " " " N 52 E 18 " "
80.00 Set a post for the cor of sur. 8. 9. 16. & 17 from which
Poplar. 36 in. dia^r bears N 46° W. 22 links dist; 1 a
Elm 20 " " " S 78 E 28 " "
Land broken, Timber Oak, Poplar, Hickory, Sugar. & Buck

North Return Sur. 8. 29 T. N^o 11. N.R. N^o 4 W
40.00 Set a 7/4 cu post from which
Buck 20 in dia^r bears S 30 E 14 links dist; 1 a,
Do 9 " " " N 32 W. 15 " "
63.00 To at Brook 15 links mid. Co. N.W.
80.00 Set a temp. 7 post for the cor of sur. 4. 5. 8. & 9
Land hilly; Timber Oak, Buck, Sugar. & Poplar

East On a Random line between Sur. 4 & 9 T. N^o 11. N.R. 4 W

I. N^o 11. N.R. N^o 4 N^o 2nd Mm. Ind.

West On the true line between Sec. 4 & 9 T. 11. N.R. 4 N.
 40.00 Set a 7/4 sec post from which a (in at Brook 15 links wide, Co. 111.
 Buck. 20 in. diam. bears N 10 W. 42 links east; ra.
 Do. 18 " " " S 45 W. 70 " "
 80.00 Set a post for the cor of sec. 4, 5, 8 & 9 from which -
 Buck. 24 in. diam. bears S 44 W. 18 links east; ra.
 Do. 18 " " " N 66 E. 20 " "
 Lands & Timber same as last mile.

North Return Sec. 5 & 4 T. N^o 11. N.R. 4 N.
 16.50 To at Buck. 26 in. diam. stands in the line.
 40.00 Set a post for the cor of 4 & 5 from which a
 Buck. 24 in. diam. bears S 86 W. 14 links east; ra.
 Sugar. 12 " " " S 84 E. 15 " "
 80.00 Run out the N. boundary at the post cor of sec. 33 & 32
 T. N^o 13 N.R. N^o 4 N.
 Lands & Broken Timber Sugar, Oak, Poplar.

April 24. 1874

North Return Sec. 31 & 32 T. N^o 11. N.R. 4 N.
 Begun in fallen timber
 37.00 Through fallen timber.
 40.00 Set a 7/4 sec post from which a
 Buck. 24 in. diam. bears N 20. 41. 26 links east; ra.
 Hickory 24 " " " S 20 E. 21 " "
 80.00 Set a temporary post for the cor of sec. 29, 30, 31 & 32
 Last 1/2 of this mile is pretty good lands; Timber Sugar
 Walnut & Poplar.

East On a Random line between Sec. 29 & 32 T. 11. N.R. 4 N.
 West On the true line between Sec. 29 & 32 T. 11. N.R. 4 N.
 40.00 Set a 7/4 sec post from which a

T. No. 11. N.R. No. 4 W. D. (New Line)

	<p>Sugar. 22 in dist. bears N 79 W. 14 miles dist. to Buck 18 " " " S 75 E. 15 " "</p> <p>80.00 Set a post for the cor. of sec. 29, 30, 31 & 32 from which Buck. 20 in. dist. bears S 72 W. 25 miles dist. to Q. 18 " " " N 81 E. 32 " "</p> <p>Sands middling; Timber Sugar Buck, Poplar, Oak.</p>
North	<p>Between Sec. 29 & 30 T. 11. N.R. 4 W.</p> <p>28.50 To a Poplar 30 in. dist. in the line</p> <p>40.00 Set a post for the cor. from which Buck. 24 in. dist. bears N 23 W. 32 miles dist. to Oak. 24 " " " East 20 " "</p> <p>55.00 To a Brook. 6 miles wide, Sec. East</p> <p>80.00 Set a temporary post for the cor. of sec. 19, 20, 29 & 30 Sands shilly, dark; Timber Sugar Buck, & Poplar</p>
West	<p>Between Sec. 30 & 31 T. 11. N.R. 4 W.</p> <p>40.00 Set a post for the cor. from which Hickory 20 in. dist. bears S 75 E. 20 miles dist. to Buck. 9 " " " S 78 W. 33 " "</p> <p>70.00 Intersect the West Boundary 150 miles South of the cor. of sec. 25 & 36. T. 11. N.R. 5 W. Set a post for the cor. of sec. 30 & 31 from which Sugar. 12 in. dist. bears N 4 E. 6 miles dist. to Buck. 9 " " " S 64 W. 24 " "</p> <p>Sands and timber same as last mile.</p>
East	<p>On Random line between Sec. 20 & 29 T. 11. N.R. 4 W.</p>
West	<p>On the true line between Sec. 20 & 29 T. 11. N.R. 4 W.</p> <p>1.00 To a Brook 6 miles wide, Sec. S.</p> <p>40.00 Set a post for the cor. from which Buck. 36 in. dist. bears N 86 W. 24 miles dist. to</p>

115

T. N. 11. N. R. No 4 M. 2nd Mer. Ind.

80.00 Sugar 15 in. dia^r beams S35E 26 links each; ~~ra~~
 Set a post for the cor. of sw. 19.20.29/30 from which
 Poplar. 20 in. dia^r beams N45W. 25 links each; ra,
 Sugar. 18 " " " S46E. 27 " "
 Sande hilly ends each; Timber Buck, Sugar & Poplar.

West On the true line between Sw. 19 & 30 T. 11. N. R. 4 M
 40.00 Set a 7/4 in. post from which
 Sugar. 9 in. dia^r beams S40E. 12 links each; ra,
 Poplar. 20 " " " N45W. 27 " "
 70.00 Set out the West Boundary 100 links South of the
 post cor of sw. 24 & 25 T. 11. N. R. 4 M and set a post
 for the cor of sw. 19 & 30 from which
 Buck. 30 in. dia^r beams. S44E. 4 links each; ra,
 Poplar. 12 " " " N32W. 27 " "
 Sande each; Timber Sugar & Mahoe.

North Return Sw. 19 & 20 T. 11. N. R. 4 M
 27.00 To a Brook 6 links mid. Co. N. R.
 40.00 Set a 7/4 in. post from which
 Sugar. 12 in. dia^r beams. N87W. 21 links each ra,
 Ls. 20 " " " S17E. 19 " "
 77.50 To a Brook. 15 links mid. Co. N. R.
 80.00 Set a temporary post for the cor. of sw. 17.18.19 & 20
 Sande hilly ends; Timber Sugar. Oak & Poplar.

East On a Roman line between Sw. 17 & 20 T. 11. N. R. 4 M

West On the true line between Sw. 17 & 20. T. 11. N. R. 4 M
 40.00 Set a 7/4 in. post from which
 Hickory 15 in. dia^r beams. N88E. 30 links each; ra,
 Poplar 8 " " " N84W. 29 " "
 80.00 Set a post for the cor of sw. 17.18.19 & 20 from which

T. N. 11. N. R. No. 4 W. 2nd Mer. Sec.

Beck. 18 in. dia. beam. N 78 E. 9 links dist; ra,
Sugar 20 " " S 55 W. 20
Sands Kelly; Timber Oak, Hickory Sugar & Poplar.

April 25. 1814

West Return Sec. 18 & 19 T. 11. N. R. 4 W.
26.50 To a Brook. 15 links wide, Co. N. W.
40.00 Set a 7/4 sec post from which
Sugar. 12 in. dia. beam S 3 E. 7 links dist; ra,
Mulberry Co " " N 60 W. 35 " "
55.00 To a Brook. 8 links wide, Co. N. W.
70.00 Enter cut the West Boundary 75 links South of the
first cor of sec. 13 & 24 T. 11. N. R. 4 W. & set a post for
the cor of sec. 18 & 19 from which
Sunn. 48 in. dia. beam. N 33 E. 15 links dist; ra,
Inguards Co " " S 25 W. 22 " "
Sands & timber Same as last mile.

North Return Sec. 17 & 18 T. 11. N. R. 4 W.
40.00 Set a 7/4 sec post from which
Sugar. 12 in. dia. beam S 38 W. 10 links dist; ra,
Salzapras 15 " " N 30 E. 32 " "
76.00 To a Brook. 12 links wide, Co. W.
80.00 Set a temp. post for the cor. of sec. 7, 8, 17 & 18
Sands & timber Same as last mile.

East Quakranum line between Sec. 8 & 17 T. 11. N. R. 4 W.

West On the line between Sec. 8 & 17 T. 11. N. R. 4 W.
40.00 Set a 7/4 sec post from which
Beck. 15 in. dia. beam. S 5 W. 12 links dist; ra,
Oak. 24 " " N 10 E. 15 " "
80.00 Set post for the cor. of sec. 7, 8, 17 & 18 from which.

T. H. N. R. No 477. 2nd (M^{rs} Sud^a) 117

Buck. 18 in dia^r beam N45W.32 links dist^y; ra,
 Do. 20 " " " S32E.11 " "
 Lande Hilby; Timber Oak. 7 Buck, Sugar & Poplar

West Return Sur. 7.18 T. H. N. R. 477
 4.50 To a Brook. 15 links mid, Co. S. W.
 40.00 Set a 7/4 ew post from which a
 Buck. 20 in. dia^r beam. S80E.29 links dist^y; ra,
 Sugar. 18 " " " N37W.10 " "
 45.00 To a Brook 8 links mid, Co. S. W.
 69.00 Put out the West Boundary 50 links E. of the post,
 cor of sec. 12 & 13 T. H. N. R. 577. & set a post from the
 cor of sec. 7.18 from which a
 Elm. 12 in dia^r beam S15E.28 links dist^y; ra,
 Buck. 20 " " " N48W.20 " "
 Lande & timber same as last mile.

North Return Sur. 7.08 T. H. N. R. 477.
 22.00 To a Brook. 25 links mid, Co. S. W.
 40.00 Set a 7/4 ew post from which a
 Buck. 15 in. dia^r beam. N20E.30 links dist^y; ra,
 Do. 12 " " " S10W.7 " "
 80.00 Set a temp. 7 post for the cor of sec. 5, 6, 7 & 8
 Lande & timber same as last mile.

East On a Random line between Sur. 5.18 T. H. N. R. 477

West On a Random line between Sur. 5.18 T. H. N. R. 477.
 40.00 Set a 7/4 ew post from which a
 Buck. 9 in. dia^r beam. S53E.6 links dist^y; ra,
 Do. 12 " " " N48W.9 " "
 65.00 To a Brook. 15 links mid, Co. S. W.
 80.00 Set a post for the cor. of sec. 5, 6, 7 & 8 from which a

N. 11. N.R. N. 4 W. 2nd Mer. Ind.

Sugar. 18 in. dia. bears S 48 E. 53 links dist; to
 Dg. 20 " " " N 33 W. 50 "
 Lands hilly and rich; Timber Buck. Walnut Pop-
 lar & Oak.

West Return Sur. 6.27 N. 11. N.R. 4 W.

40.00 Set a 74 supst from whet. 9

Buck. 15 in. dia. bears S 3 E. 38 links dist; to

Dg. 24 " " " N 5 E. 47 " "

61.00 To a Swamp

69.00 Enter cut the West Boundary at the first cor of Sec. 1. & 12

N. 11. N.R. N. 5 W.

Lands & timber same

North Return Sur. 5.16 N. 11. N.R. 4 W.

37.00 To a Brook 8 links wide, Co. W

40.00 Set a 74 supst from whet. 9

Buck. 20 in. dia. bears East. 18 links dist; to

Dg. 18 " " " N 80 W. 21 " "

58.00 To a Poplar. 30 in. dia. in the line.

80.00 Enter cut the N Boundary at the first cor of Sec. 31. & 32

N. 12 N.R. 4 W. Lands & timber same

John H. Hetchum } chainmen.
 Jacob Barnett }

Sam Holmes. D.S.

Certify that the foregoing Transcript of the Field
 Notes of Township N. 11. North of Range N. 4 West of
 the 2nd Mer. Indian, has been compared with the Orig-
 inal notes in this Office, and found to be correct.

Surveyor General's Office

Cincinnati, Dec. 31st 1840

E. S. Haines
 Sur. Gen.